

D. IO. HIERON. KNIPHOFII

PATHOL. ET PRAX. IN ACAD. ERFVRT. PROF. PVBL.

ORDIN. FACVLT. MED. SENIOR. ET ADSESS. PRIMAR.

ACAD. CAESAR. NAT. CVRIOSOR. ADIVNCTI

ET BIBLIOTHECARI,

## BOTANICA IN ORIGINALI

### SEV HERBARIVM VIVVM

IN QVO

PLANTARVM TAM INDIGENARVM

QVAM EXOTICARVM

PECULIARI QVADAM OPEROSAQVE ENCHIRESI

ATRAMENTO IMPRESSORIO OBDVCTARVM

NOMINIEVSQVE SVIS

AD METHODVM

ILLVSTRIVM NOSTRI AEVI BOTANICORVM

LINNAEI ET LVDWIGI

INSIGNITARVM

ELEGANTISSIMA ECTYPA EXHIBENTVR

OPERA ET STVDIO


JANNIS GODOFREDI TRAMPE


TYPOGRAPHI HALENSIS.

CENTVR. III.

HALAE MAGDEBURGICAE,

M DCC LVIII.





Verzeichniß +  
der in der 3ten Centur. befindlichen Pflanzen.

*A.*

*1.* **Acer campestre.** *Ahorn.*

- *Adonis apennina.*
- *Aesculus Hippocastanum.* *wilde Kastanie.*
- *Aiuga orientalis.*
- - - *pyramidalis.* *Günself.*
- - - *reptans.*
- *Alchemilla vulgaris.* *Sinnau.*
- *Aloe perfoliata humilis.*
- - - *retusa.*
- - - *variegata.*

*II.* • *Amaryllis Atamasca.*

- *Antirrhinum maius, limbo foliorum argenteo.*  
*Löwenmaul mit versilberten Blättern.*
- *Arctium Lappa.* *Klette.*
- *Aristolochia semperirens.*
- *Asclepias Vincetoxicum.* *Schwalbenwurzel.*
- *Asperugo procumbens.*
- *Astragalus galegiformis.*
- - - - *glycyphyllos.* *wild Süßholz.*
- - - - *Tragacantha.* *Bocksdorn.*
- *Atractylis fruticosa.*

*B.*

- 21.* • *Biscutella didyma.*
- *Borago officinalis.* *Borretsch.*
  - *Buphtalmum maritimum.*

*C.*

- *Centaurea montana.*
- - - - *ragusina.*
- *Cerinthe echooides.*
- *Chenopodium aristatum.*
- *Clematis cirrhosa.*
- *Clutia alaternoides feminina.*
- *Cochlearia officinalis.* *Löffelkraut.*

*31.* **Conuallaria Polygonatum.** *Weißwurzel.*  
- - - - - *grandiflorum.*

- *Coronilla Emerus.*
- *Crassula nudicaulis.*
- *Cyclamen europaenm.* *Schweinbrodt.*

*D.*

• *Digitalis purpurea.* *rother Fingerhut.*

*E.*

• *Erysimum Alliaria.* *Knoblauchsbraut.*

*F.*

- *Fragaria vesca sativa.* *Garten Erdber.*
- *Fritillaria imperialis.* *Kaiserkrone.*

*G.*

- 41.* • *Galeopsis Galeobdolon.*  
• *Gentiana verna.* *Gentianelle.*  
• *Geranium inquinans.*  
• - - - *zonale.*

• *Gnaphalium dioicum.* *Katzenpfötchen.*

*H.*

- *Hedysarum coronarium.*
- *Hypericum perforatum.* *Iohanniskraut.*

*I.*

- *Iasminum officinale.* *weisser Iesmin.*
- *Iris germanica.* *blaue Lilie.*
- - - *Pseudacorus.* *Wasserlilie.*

*L.*

• *Lamium album.* *weiße taube Nessel.*

*51.* • - - *purpureum pannonicum.*

• *Lauandula Stoechas.*

• *Lepidium latifolium.* *Pfefferkraut.*

Lilium

66XX 43 66XX

54 · *Lilium chalcedonicum.* *Türkischer Bund.* · *Robinia Pseudo-Acacia.* *Akacie.*

· · · *Martagon.* *Goldwurzel.*

· *Lithoxylum abruptum.*

· · · · *diuaricatum.*

· *Lonicera Caprifolium.* *Ie länger je lieber.*

· · · · *semperuirens.*

· *Lotus Dorycnium.*

65 · *Lycopsis aruensis.*

*M.*

· *Mesembryanthemum hispidum.*

· · · · *vmbellatum.*

· *Morus nigra.* *Schwarze Maulbe.*

*N.*

· *Nicotiana rustica.* *Bauern Toback.*

· *Nymphaea lutea.* *gelbe Seeblume.*

*O.*

· *Oenothera biennis.* *Nachtkerze.*

· *Ophrys insectifera myodes.*

· *Orobus niger.*

· *Oxalis purpurea.*

*P.*

71 · *Phlomis fruticosa grandiflora.*

· *Primula veris officinalis.* *Himmelschlüssel.*

*Q.*

· *Quercus Robur.* *Eiche.*

*R.*

· *Rhus coriaria.*

· *Ribes alpinum.*

· *Robinia Pseudo-Acacia.* *Akacie.*

· *Rumex Acetosella.*

· · · *acutus.*

· *Ruta graueolens.* *Raute.*

*S.*

· *Satureia hortensis.* *Saturey.*

81 · *Scabiosa alpina.*

· *Semprevirum arachnideum.*

~~Sedum villosum.~~

· *Sisymbrium amphibium palustre.* *Wasser-*  
*rettick.*

· *Solanum Dulcamara.* *Hirschkraut.*

· · · · *incanum.*

· *Solidago canadensis.*

· *Spartium scoparium.*

· *Spiraea Aruncus.*

· · · · *Filipendula.* *Filipendel.*

· · · · *falicifolia.*

· *Staphylea pinnata.* *Pimpernuss.*

*T.*

· *Teucrium Marum.*

· *Thymbra spicata.*

*V.*

· *Valeriana Locusta olitoria.* *Rapunzel.*

· *Vicia Lathyroides.*


· *Viola odorata.* *Merzviole.*

· · · · *tricolor.* (*lutea grandiflora.*)

*Z.*

· *Zea Mays.* *Türkisch Korn.*

· *Zygophyllum fuluum.*





3. ACER foliis lobatis obtusis emarginatis.  
1. Linn. S. P. 1055. Ludw. D. G. P. 551  
- - - campestre.





3. ADONIS floribus pentdecapetalis, fructu ouato.  
Linn. S. P. 548. Ludw. D. G. P. 753.  
2. - - - apennina.






3.  
3

AESCVLVS floribus heptandris. *Linn.* S. P. 344.

Hippocastanum. *Ludw.* D. G. P. 630.





3. AIVGA floribus resupinatis. Linn. S. P. 561. variet.  $\beta$ .  
4. Bugula. Ludw. D. G. P. 191.  
- - - orientalis.





3.  
AIVGA tetragono pyramidalis. Linn. S. P. 561.  
Bugula. Ludm. D. G. P. 191.  
pyramidalis.  
Consolida media. officin.





$\frac{3}{6}$  AIVGA stolonibus reptatricibus. *Linn.* S. P. 561.  
Bugula. *Ludw.* D. G. P. 191.  
reptans.






3. ALCHEMILLA foliis lobatis. Linn. S. P. 123. variet. a.  
Alchimilla. Ludpr. D. G. P. 764.  
— vulgariſ,  
— officin.






38. ALOE floribus pedunculatis cernuis subcylin-  
dricis. Linn. S.P. 119. i. variet. 320. o.  
Ludw. D.G.P. 116.  
- - - - perfoliata humilis.  
Aloe foliis erectis subulatis radicatis vndeque incerne spinosis.  
Linn. Hort. Cliff. 131.






3  
ALOE floribus sessilibus triquetris bilabiatis: labio inferiore revoluto. Linn. S. P. 322. Ludw. D. G. P. 116.  
retusa.





$\frac{3}{10}$ . ALOE floribus pedunculatis cernuis racemosis prismaticis:  
ore patulo æquali. Linn. S. P. 321. Ludw. D. G. P. 116.  
- - - variegata.





3.  
11. AMARYLLIS foatica vniiflora, corolla aequali, pistillo de-  
clinato. Linn. S. P. 292. Ludv. D. G. P. 723.  
Atamasca.






$\frac{3}{12}$ . ANTIRRHINVM corollis ecaudatis, calycibus rotundatis.  
*Linn. S. P. 617. Ludw. D. G. P. 247.*  
maius.  
Antirrhinum limbo foliorum eleganti argenteo. Rol. Hort. Krauf. 13.







3.  
ARCTIVM foliis cordatis-inermibus petiolatis.  
Linn. S. P. 816. variet.  $\alpha$ .  
Lappa. Linn. D. G. P. 324.  
Bardana. officin.





*3*  
*14* ARISTOLOCHIA foliis cordato oblongis undatis, caule  
infirme, floribus solitariis. *Linn. S. P. 961.*  
*Ludw. D. G. P. 283.*  
• • - - - semperuirenſ.





3.  
15. ASCLEPIAS foliis ovatis basi barbatis, caule erecto, vmbel-  
lis proliferis. Linn. S. R. 216. Ludd. D. G. P. 99.  
Vincetoxicum.  
Hirundinaria. officin.





3.  
16.

ASPERVGO. *Linn. S. P. 138.*  
*Ludw. D. G. P. 40.*  
*procumbens.*





3  
17.

ASTRAGALVS caulescens strictus glaber, floribus race-  
mosis pendulis, leguminibus triquetris  
vtrinque mucronatis. *Linn. S. P. 756.*  
*Ludw. D. G. P. 508.*  
galegiformis.






3.  
18. ASTRAGALVS caulescens prostrans, leguminibus sub-  
triquetris arcuatis, foliis ovalibus pedun-  
culo longioribus. Linn. S.P. 758.  
Ludw. D.G.P. 508.  
glycyphyllos.






3.  
59. ASTRAGALVS caudice arborescente, petiolis spinescentibus. Linn. S. P. 762. variet.  $\alpha$ .  
Tragacantha. Ludw. D. G. P. 639.  
- - - - officin.





<sup>3.</sup>  
<sub>20.</sub> ATRACTYLIS foliis oblongo ouatis denticulatis spinosis,  
calycibus patentibus, caule fruticolo.  
Linn. S. P. 829.  
Carthamus. Ludw. D. G. P. 325.  
fruticosa.





31  
21 BISCUTELLA siliculis orbiculato didymis a stylo diuergen-  
tibus. Linn. S. P. 653. variet.  $\alpha$ .  
Ludw. D. G. P. 420.  
----- didyma.





3.  
22. BORAGO foliis omnibus alternis, calycibus patentibus.  
*Linn. S. P. 137. Ludw. D. G. P. 31.*  
- - - officinalis.





33. *BYPHTHALMVM* calycibus obtuse foliosis pedunculatis,  
ramis alternis, foliis cuneiformibus.  
*Linn.* S. P. 903. *Ludw.* D. G. P. 362.  
*maritimum.*





3.  
24. CENTAVREA calycibus serratis, foliis lanceolatis decurrentibus, caule simplicissimo. *Linn. S. P. 911. variet. a.*  
*Ludw. D. G. P. 366.*  
- - - montana.





3.  
25. CENTAUREA calycibus ciliatis, foliis tomentosis pinna-  
tifidis: foliolis obtusis ouatis integerrimis;  
exterioribus maioribus. Linn. S. P. 912.  
Ludw. D. G. P. 366.  
ragusina.






3.  
26.


CERINTHE foliis lanceolato linearibus hispidis, semini-  
bus quaternis distinctis. *Linn.* S. P. 137.  
*Ludw.* D. G. P. 34.  
- - - - echioides.





3.  
27. CHENOPODIVM foliis lanceolatis carnosis, corymbis  
dichotomis spinosis. Linn. S. P. 221.  
Ludw. D. G. P. 776.  
aristatum.





3.  
28.

CLEMATIS cirrhos scandens.

Linn. S. P. 544.

Ludw. D. G. P. 466.

- - - - -  
cirrhosa.





3.  
29. CLVTIA foliis sessilibus lanceolatis. *Linn.* S. P. 1042.  
*Ludw.* D. G. P. 912.  
- - \* alaternoides. femina.






~~30.~~ COCHLEARIA foliis radicalibus subrotundis; caulinis  
oblongis tuberculatis. Linn. S. P. 647.  
Ludw. D. G. P. 425.  
officinalis.





31. CONVALLARIA foliis alternis amplexicaulibus,  
caule ancipiti, pedunculis axillaribus  
vnifloris. Linn. S. P. 315. variet.  $\alpha$ .  
Polygonatum. Ludw. D. G. P. 126.  
Sigillum Salomonis. officin.





32. CONVALLARIA foliis alternis amplexicaulibus,  
caule angusti, pedunculis axillaribus  
vnifloris. Linn. S. P. 315. variet. β.  
Polygonatum. Ludw. D. G. P. 126.  
Sigillum Salomonis. officin. grandiflorum.





3.: CORONILLA fruticosa, corollarum vnguis calyce du-  
plo longioribus. Linn. S. P. 742. variet.  $\alpha$ .  
Ludw. D. G. P. 500.

Emerus.





3. CRASSVLA foliis subulatis radicatis, caule nudo.  
34. Linn. S. P. 283.  
Cotyledon. Ladhv. D.G. P. 142.  
nudicaulis.






34 CYCLAMEN corolla retroflexa. *Linn.* S. P. 145.  
35 " " " " *Ludw.* D. G. P. 48.  
" " " " europaeum.  
" " " " officin.





*DIGITALIS* calycinis foliolis ouatis acutis, corollis obtusis: labio superiore integro. *Linn. S. P. 621.*  
*Ludw. D. G. P. 249.*  
purpurea.

1900-1901  
1901-1902  
1902-1903



37. ERYSIMVM foliis cordatis. Linn. S. P. 660.  
Sisymbrium. Ludw. D. G. P. 410.  
Alliaria. officin.





3.  
38. FRAGARIA flagellis reptans Linn. S. P. 494.  
Potentilla. Linn. D'G. P. 621.  
- - - vesca sativa.  
- - - officin.






F. FRITILLARIA racemo comoſo  
foliis integerrimis.  
Corona imperialis.  
imperialis.

inferne nudo,  
Linn. S. P. 303.  
Jadw. D. G. P. 719.







*G. verticillata* sexfloris: inuolucro tetraphyllo.  
Linn. S. P. 580. Ludw. D. G. P. 193.  
Galeobdolon.





G.  
GENTIANA corolla quinquefida campanulata caulem  
excedente. Linn. S. P. 228. variet.  $\alpha$ .  
Ludw. D. G. P. 97.  
acaulis.





*3.  
42.* GERANIVM calycinus monophyllis, foliis orbiculato reniformibus tomentosis crenatis integriusculis.  
Linn. S. P. 676. Ludw. D. G. P. 640.  
- - - - inquinans.





3.  
43. GERANIVM calycibus monophyllis foliis cordato orbicu-  
latis incisis zona notatis. *Linn.* S. P. 678.  
*Ludw.* D. G. P. 640.  
zonale.






3.  
44. GNAPHALIVM caule simplicissimo, corymbo simplici  
terminali, farmentis procumbentibus.

Linn. S. P. 850. Ludw. D. G. P. 305.  
dioicum.  
officin.





$\frac{3}{45}$ . HEDYSARVM foliis pinnatis, leguminibus articulatis  
aculeatis nudis rectis, caule diffuso.  
*Linn. S. P. 750. Ludw. D. G. P. 504.*  
coronarium.





3.  
46. HYPERICUM floribus trigynis, caule ancipiti, foliis obtusis  
pellucido punctatis. Linn. S. P. 785.  
Ludw. D. G. P. 610.  
:: - - - - : perforatum.  
:: - - - - : officin.





B.  
47. JASMINVM foliis oppositis pinnatis. Linn. S. P. 7.  
Ludw. D. G. P. 4.  
officinale.





48. IRIS corollis barbatis, caulis longiore multifloro.  
Linn. S. P. 38. Linn. D. G. P. 8.  
--- germanica.






3.  
49. IRIS corollis imberibus, petalis interioribus  
stigmata minoribus, foliis ensiformibus.  
*Linn.* S. P. 38. *Ludw.* D. G. P. 8.

Pseudacorus.  
Acorus palustris. officin.





3.  
50.

LAMIVM foliis cordatis acuminatis ferratis petiolatis.

Linn. S. P. 579. Ludm. D. G. P. 192.


----- album. officin.






*S.  
J.Y.*

LAMIVM foliis cordatis obtusis petiolatis.  
Linn. S. P. 579. Ludw. D. G. P. 192.  
- - - purpureum pannonicum.  
Galeopsis maxima pannonica. Clus. histor. 2. 36.





3. LAVANDULA foliis lanceolato linearibus, spica comosa.  
52. *Linn. S. P. 573. Ludw. D. G. P. 220.*  
Stoechas.  
- - - arabica. officin.






3.  
53.

LEPIDIVM foliis opaco lanceolatis integris ferratis.  
Linn. S. 644. Luddw. D. G. P. 423.  
- - - latifolium





3.  
34. LILIUM foliis sparsis lanceolatis, floribus reflexis, corollis  
cauolutis. Linn. S. P. 302. variet.  $\alpha$ .  
Ludw. D. G. P. 715.  
• - • chalcedonicum.





*LILIVM* foliis verticillatis, floribus reflexis, corollis revolutis.  
Linn. S. P. 303. variet.  $\alpha$ . Ludw. D. G. P. 715.  
Martagon.






3  
56. LYTHOXYLVM fronde decomposita: ramis diuaricatis,  
apice truncatis.  
Keratophytum. *Ludw. D. G. P. 1003.*  
abruptum.






3.  
57. LITHOXYLVM fronde supradecomposita: ramis diuari-  
catis, ramulorum summitatibus capillaceis.  
Keratophytum. Ludw. D. G. P. 1003.  
Lithoxylum pallide flauescens cortice laeui.  
Tourn. inst. 574.  
diuaricatum.





38. LONICERA floribus verticillatis terminalibus sessilibus, foliis  
summis connato perfoliatis. *Linn. S. P. 173.*  
Caprifolium. *Ludw. D. G. P. 278.*





3.  
59. LONICERA spicis nudis verticillatis terminalibus, foliis  
fummis connato perfoliatis. *Linn. S. P. 173.*  
*Periclymenum. Ludw. D. G. P. 280.*  
semperuirens.





3.  
60. LOTVS capitulis aphyllis, foliis sessilibus quinatis.  
*Linn.* S. P. 776.  
Dorycnium. *Ludw.* D. G. P. 474.





3  
61. LYCOPSIS folijs lanceolatis hispidis, calycibus florescenti-  
bus erectis. Linn. S.P. 139.  
Buglossum. Ludw. D.G. P. 32.  
aruensis.





3.  
62. MESEMBRYANTHEMVM caule hispido, foliis cylindricis deflexis. *Linn.* S. P. 482. variet.  $\alpha$ .  
Ficoides. *Ludw.* D. G. P. 167.  
- - - - - hispidum.






3. MESEMBRYANTHEMVM foliis subtrigonis subulatis  
63. caule erecto, corymbo tricho-  
tomo. Linn. S. P. 481.  
Ficoides. Ludw. D. G. P. 167.  
vmbellatum.





3. MORVS foliis cordatis scabris. *Linn.* S. P. 986:  
64. *Ludw.* D. G. P. 880.

• • • nigra.  
• • • officin.






3.  
65.

NICOTIANA foliis ovatis. Linn. S. P. 180.  
Ludw. D. G. P. 58.  
- - - - rusticæ.





<sup>3</sup>  
66 NYMPHAEA calyce magno pentaphyllo.  
Linn. S. P. 510. Ludw. D. G. P. 750.  
- - - - lutea.





3.  
67. OENOTHERA foliis quato lanceolatis planis. Linn. S.P. 346.  
Onagra. Ludw. D. G. P. 434.  
biennis.






B. OPHRYS bulbis subrotundis, caule folioso, nectarii labio  
68. subquinquelobo. *Linn. S. P.* 948. variet.  $\alpha$ .  
*Ludw. D. G. P.* 702.  
- - - • infectifera myodes.





3. OROBVS caule ramoso, foliis sexjugis ouato oblongis.  
*Linn. S.P. 729. Ludw. D.G.P. 489.*  
62. - - - niger.






3. OXALIS scapo vniifloro, foliis ternatis, radice bulbosa.  
70. Linn. S. P. 433.  
Oxys. Ludw. D. G. P. 143.  
- \* - purpurea.





3. 71. PHLOMIS foliis subrotundis tomentosis crenatis, inuolucris  
lanceolatis. Linn. S. P. 584. variet.  $\beta$ .  
Ludw. D. G. P. 196.  
- - - - - fruticosa grandiflora.





3. PRIMVLA foliis dentatis rugosis limbo corollarum con-  
72. cauo. Linn. S. P. 142. Ludw. D. G. P. 50.  
- - - veris. officin.





3. QVERCVS foliis deciduis oblongis superne laticribus: sinu-  
bus acutioribus; angulis obtusis. Linn. S. P. 996.  
Ludw. D. G. P. 890.  
officin.  
Robur.






3.  
74. RHUS tomis pinnatae obtusifolie ferratis qualibus subtus  
villofis. Linn. S. P. 265. Linn. D. G. P. 535.  
- - - coriaria.  
Sumach. officin.





3.  
75

RIBES inerme, racemis erectis: bracteis flore longioribus.  
Linn. S.P. 200. Ludw. D.G.P. 533.  
- - - alpinum.





3.  
76. ROBINIA pedunculis racemosis, foliis impari pinnatis.  
Linn. S.P. 722. Ludw. D.G.P. 495.  
Pseudo-Acacia.





3.  
77. RUMEX floribus dioicis, foliis lanceolato hastatis.  
Linn. S. P. 338. variet. β. Luddw. D. G. P. 786.  
Acetosella.






3.  
78. RVMEX floribus hermaphroditis: valvulis dentatis grani-  
feris, foliis cordato oblongis. Linn. S. P. 335.  
Ludw. D. G. P. 786.  
- - - acutus.  
Lapathum acutum. officin.





3.  
79. R V T A foliis decompositis. Linn. S. P. 383. variet. y.  
Ludm. D. G. P. 436.  
• - - graueolens.  
• - - hortensis. officin.






S. SATVREIA pedunculis bifloris. Linn. S. P. 568.  
80. Ludw. D. G. P. 209.  
• - - - hortensis.  
- - - - officin.

177

3.  
83.

SCABIOSA corollis quadrifidis aequalibus, floribus cernuis, foliis pinnatis: foliolis lanceolatis serratis. *Linn. S. P.* 98.  
*Ludw. D. G. P.* 289.  
alpina.








3. SCABIOSA corollis quadrifidis radiantibus, caule hispido.  
82. Linn. S. P. 99. Edw. D. G. P. 289.  
- - - - arvensis.  
- - - - officin.





3.  
83.


SEMPERVIVVM foliis pilis intertextis, propaginibus  
globofis. *Linn.* S. P. 465.  
*Sedum*. *Ludw.* D. G. P. 613.  
arachnoideum.





*S.*  
*84.* SISYMBRIUM siliquis declinatis oblongo ovatis, foliis  
pinnatifidis ferratis. *Linn.* S. P. 657. *vanet.* *a.*  
*Ludw.* D. G. P. 410..  
- - - - - *amphibium palustre.*





3.  
85.


SOL. M caule inerpi frutescente flexuoso, foliis  
superioribus hastatis, racemis cymosis.  
*Linn. S. P. 185. Ludw. D. G. P. 87.*  
Dulcamara. officin.





3  
86. SOLANVM caule aculeato fruticofo, foliis repandis, calyci-  
bus aculeatis. *Linn.* S.P. 188. *Ludw.* D.G.P. 87.  
- - - - incanum.






*S. 87.* SOLIDAGO paniculato corymbosa, racemis recurvatis,  
floribus adscendentibus, foliis trineruijs  
subferratis scabris. Linn. S. P. 878.  
*Ludw. D. G. P. 353.*  
canadensis.





3.  
88. SPARTIVM foliis ternatis solitariisque, ramis inermibus  
angulatis. Linn. S. P. 709. Ludw. D. G. P. 634.  
- - - - scoparium.





3.  
89. SPIRAEA foliis supradecompositis, spicis paniculatis,  
floribus dioicis. *Linn.* S. P. 490.  
Drymopogon. *Ludw.* D. G. P. 916.

Aruncus.





$\frac{3}{20}$ . SPIRAEA foliis pinnatis: foliolis vuniformibus ferratis, caule  
herbaceo, floribus cymosis. Linn. S. P. 490.  
Filipendula. Ludm. D. G. P. 741.  
- - - f. Saxifraga rubra. officin.





3.  
21. SPIRAEA foliis lanceolatis obtusis ferratis nudis, floribus  
duplicate racemosis. Linn. S. P. 489.  
Ludw. D. G. P. 616.  
- - - falicifolia.





3.  
92 STAPHYLEA foliis pinnatis. *Linn.* S.P. 270.  
Staphylodendron. *Ludw.* D.G.P. 531.  
- - - - pinnata.






3. TEVCRIVM foliis integerimis ouatis vtrinque acutis,  
23. racemis secundis villosis. *Linn. S. P. 564.*  
*Ludw. D. G. P. 190.*

Marum.

- - - verum. officin.





3. THYMBRA floribus spicatis. *Linn.* S. P. 569.  
94. Satureia. *Ludw.* D. G. P. 209.  
spicata.







35. VALERIANA floribus triandris, caule dichotomo, foliis  
linearibus. Linn. S. P. 33.  
Valerianella. Ludw. D. G. P. 186.  
Locusta olitoria.





3:  
96. Vicia leguminibus sessilibus solitariis erectis glabris, foliolis  
senis: inferioribus obcordatis. Linn. S. P. 736.  
Ludw. D. G. P. 486.  
Lathyroides.





3.  
97. VIOLA acaulis, foliis cordatis, stolonibus reptantibus:  
*Linn.* S. P. 934. *Ludw.* D. G. P. 629.  
- - - odorata.  
- - - officin.






3. VIOLA caule triquetro diffuso, foliis oblongis incisis, fl.  
28. pulis dantatis. Linn. S. P. 935. Ludw. D. G. P. 629.  
- - - tricolor.

Viola montana lutea grandiflora. Hort. Cliff. 427.





3. ZEA. Lim. S.P. 971.  
22 Mays. Ludw. D.G.P. 870.





3. ZYGOPHYLLVM capsulis ouatis acutis. Linn. S.P. 386.  
100. Fabago. Ludw. D.G.P. 558.  
- - - - - fuluum.

*Small shrub*

